



# ESSENTIAL LED DOWNLIGHT

RECESSED AND SURFACE

**1.5kV SURGE PROTECTION 3CCT**



## FEATURES:

- Instantlight – Flicker free
- 3 CCT selectable: 3000k, 4000k, 6500k
- NO harmful UV & IR radiations
- 1.5kv surge protection
- Working temp. -20° + 40°C
- Large operating voltage 170 - 260V
- Full PVC-housing
- IP20
- RA >80



## APPLICATIONS:

- Offices
- Airports
- Food industry
- Educational Buildings
- Commercial
- Retail

**PORT ELIZABETH**  
T: +27 41 484 3330

**CAPE TOWN**  
T: +27 21 551 2400

**DURBAN**  
T: +27 31 700 0055

**JOHANNESBURG**  
T: +27 31 700 0055

**BLOEMFONTEIN**  
T: +27 51 447 0020

**HEAD OFFICE:** Corner Darling & Delson Street, North End, Port Elizabeth, South Africa

[www.daylight.co.za](http://www.daylight.co.za)



# LED DOWNLIGHT

## RECESSED AND SURFACE

**1.5kV SURGE PROTECTION** **3CCT**

	Product Code	System Power (W)	Nominal Voltage (V)	Colour Temp	System Lumens (Lm)	Colour of Fixture
<b>RECESSED</b>	DLDL07	9W	170-260V	3000k/4000k/6500k	850	White
	DLDL13	12W	170-260V	3000k/4000k/6500k	1150	White
	DLDL21	18W	170-260V	3000k/4000k/6500k	1600	White
	DLDL29	22W	170-260V	3000k/4000k/6500k	2000	White
<b>SURFACE</b>	DLDL45	12W	170-260V	3000k/4000k/6500k	1150	White
	DLDL53	18W	170-260V	3000k/4000k/6500k	1600	White
	DLDL57	22W	170-260V	3000k/4000k/6500k	2000	White



**PORT ELIZABETH**  
T: +27 41 484 3330

**CAPE TOWN**  
T: +27 21 551 2400

**DURBAN**  
T: +27 31 700 0055

**JOHANNESBURG**  
T: +27 31 700 0055

**BLOEMFONTEIN**  
T: +27 51 447 0020

**HEAD OFFICE:** Corner Darling & Delson Street, North End, Port Elizabeth, South Africa

[www.daylight.co.za](http://www.daylight.co.za)

# DAYLIGHT



## LED DOWNLIGHT RECESSED AND SURFACE

**1.5kV SURGE PROTECTION** **3CCT**

### DIMENSIONS:

	Product Code	System Power (W)	Outer Diameter (mm)	Height (mm)	Cut out (mm)
RECESSED	DLDL07	9W	120	25	90-100
	DLDL13	12W	145	25	120-130
	DLDL21	18W	170	28	140-150
	DLDL29	22W	220	28	190-200
SURFACE	DLDL45	12W	145	32	SURFACE
	DLDL53	18W	170	34	SURFACE
	DLDL57	22W	220	34	SURFACE

### TECHNICAL DRAWING:



**Ra (CRI)**  
>80



**ANGLE**  
120°



**IP RATING**  
IP20



**LIFETIME**  
25 000 hours



**PF**  
>0.5

**PORT ELIZABETH**  
T: +27 41 484 3330

**CAPE TOWN**  
T: +27 21 551 2400

**DURBAN**  
T: +27 31 700 0055

**JOHANNESBURG**  
T: +27 31 700 0055

**BLOEMFONTEIN**  
T: +27 51 447 0020

**HEAD OFFICE:** Corner Darling & Delson Street, North End, Port Elizabeth, South Africa

[www.daylight.co.za](http://www.daylight.co.za)